



THE CORPORATION OF THE TOWN OF OAKVILLE

BY-LAW NUMBER 2022-029


A by-law to amend the North Oakville Zoning By-law 2009-189, as amended, to permit the use of lands described as Part of Lot 15, Concession 1, North of Dundas Street (Crosstrail Estates Inc., Trafalgar Road (Oakville) Developments Limited, TWKD Developments Inc.) – Z.1315.11

COUNCIL ENACTS AS FOLLOWS:

- 1. Map 12(5) of By-law 2009-189, as amended, is amended by rezoning the lands as depicted on Schedule 'A' to this By-law.
- 2. Section 8, <u>Special Provisions</u>, of By-law 2009-189, as amended, is further amended by adding a new Section 8.111, as follows:

111 Map 12(5)		Part of Lot 15, Concession 1, NDS (Crosstrail Estates Inc., Trafalgar Road (Oakville) Developments Limited, TWKD Developments Inc.)	Parent Zone: GU (2022-029)				
8.111.1 Only Permitted Building Types							
The following <i>building</i> types are the only <i>building</i> types permitted:							
a)	Townhouse dwelling unit street access private garage						
b)	Townhouse dwelling unit with lane access						
c)	Townhouse dwelling unit back-to-back						
8.111.2 Zone Provisions							
The following regulations apply to all lands identified as subject to this Special Provision:							
a)	4.21(g), th Bow Wind may be a	nding the maximum width in Table e maximum width of Bay, Box Out and ows with or without foundations which maximum of three storeys in height and include a door.	1				





3. Section 8, <u>Special Provisions</u>, of By-law 2009-189, as amended, is further amended by adding a new Section 8.112, as follows:

112		Part of Lot 15, Concession 1, NDS	Parent Zone: GU					
Map 12(5)		(Crosstrail Estates Inc., Trafalgar Road (Oakville) Developments Limited, TWKD Developments Inc.)	(2022-029)					
8.11	8.112.1 Only Permitted Building Types							
The	The following building types are the only building types permitted:							
a)	Townhouse dwelling unit street access private garage							
b)	Townho	ownhouse dwelling unit with lane access						
c)	Townhouse dwelling unit back-to-back							
8.11	2.2 Zor	e Provisions						
The following regulations apply to all lands identified as subject to this Special Provision:								
a)	Notwithstanding the maximum width in Table4.0 m4.21(g), the maximum width of Bay, Box Out and Bow Windows with or without foundations which may be a maximum of three storeys in height and which may include a door.4.0 m							
b)	of the <i>be</i> depths s steps ar	For <i>corner lots</i> , a <i>porch</i> shall have a minimum depth from the exterior of the <i>building</i> to the outside edge of the <i>porch</i> of 1.5 metres. Required depths shall be provided for a minimum of 40% of the <i>porch</i> . However, steps and columns may encroach a maximum of 0.3 metres into the required depth.						
c)	of the to	Porches shall have walls that are open and unenclosed for at least 40% of the total area of the vertical planes forming its perimeter, other than where it abuts the exterior of the <i>building</i> or insect screening.						
8.112.3 Parking Regulations								
a)	Minimur	n floor area of a private garage	18 m ²					



4. Section 8, <u>Special Provisions</u>, of By-law 2009-189, as amended, is further amended by adding a new Section 8.113, as follows:

113 Map 12(5)		Part of Lot 15, Concession 1, NDS (Crosstrail Estates Inc., Trafalgar Road (Oakville) Developments Limited, TWKD Developments Inc.)	Parent Zone: NC (2022-029)				
0 1 1 2 1 -7-							
The	8.113.1 Zone Provisions The following regulations apply to all lands identified as subject to this Special Provision:						
a)	4.21(g), Bow Wi may be	Notwithstanding the maximum width in Table4.0 m4.21(g), the maximum width of Bay, Box Out and Bow Windows with or without foundations which may be a maximum of three <i>storeys</i> in height and which may include a door.4.0 m					
b)	For <i>corner lots</i> , a <i>porch</i> shall have a minimum depth from the exterior of the <i>building</i> to the outside edge of the <i>porch</i> of 1.5 metres. Required depths shall be provided for a minimum of 40% of the <i>porch</i> . However, steps and columns may encroach a maximum of 0.3 metres into the required depth.						
C)	Porches shall have walls that are open and unenclosed for at least 40% of the total area of the vertical planes forming its perimeter, other than where it abuts the exterior of the <i>building</i> or insect screening.						
8.113.2 Parking Regulations							
a)	Minimur	n floor area of a private garage	18 m ²				


5. This By-law comes into force in accordance with Section 34 of the *Planning Act*, R.S.O. 1990, c. P.13, as amended.

PASSED this 7th day of June, 2022

MAYOR

CLERK





Re-zoned From: Future Development (FD) to Neighbourhood Centre (NC sp: 113); General Urban (GU sp: 111); General Urban (GU sp: 112); Institutional (I sp: 103); Park (P); and Storm Water Management Facility (SMF)



12 (5)

SCALE: 1:4000