



LATERAL TO BE REUSED





EXISTING SANITARY SEWER WILL BE USED.

AREAS SHALL BE STABILIZED BY SEEDING.

WORKS WITHIN THE MUNICIPAL ROAD ALLOWANCES.

DEPTH OF SANITARY SEWER CONNECTION AT THE STREET LINE TO BE CONFIRMED IN FIELD PRIOR TO CONSTRUCTION TO ENSURE GRAVITY FLOW.

FOUNDATION WEEPERS AND FLOOR DRAINS WILL BE SUMPED AND PUMPED TO THE SURFACE AND WILL DISCHARGE ONTO A CONCRETE SPLASH PAD IN THE FRONT OF THE HOUSE.

GENERAL NOTES

THE COMMENCEMENT OF SITE GRADING WORKS. TO SATISFACTION OF THE CITY AND HALTON B) IF CONSTRUCTION IS INTERRUPTED AND/OR INACTIVITY EXCESS 30 DAYS, STRIPPED/ BASE

A) SILTATION CONTROL MEASURES SHALL BE IMPLEMENTED BY THE CONTRACTOR PRIOR TO

C) THE SEDIMENT CONTROL DEVICES SHALL BE INSPECTED AFTER EVERY RAINFALL AND/ OR D) THE SEDIMENT CONTROL DEVICES MUST BE REPAIRED, CLEANED AND/ OR REPLACED IF

NECESSARY OR AS DIRECTED BY THE ENGINEER. CONSERVATION AUTHORITY OR THE CITY. E) ALL SEDIMENT CONTROL DEVICES SHALL REMAIN IN PLACE UNTIL ALL CONSTRUCTION, GRADING, TOPSOILING AND SODDING ARE COMPLETE.

F) WHEN ALL CONSTRUCTION, GRADING AND SODDING IS COMPLETED. THE SEDIMENT CONTROL DEVICES SHALL BE REMOVED AND THE DISTURBED AREAS REINSTATED. 2. ALL CATCH BASINS ON SITE SHALL HAVE PROPER SEDIMENT CONTROLS AS NOTED HEREON. 3. THE EROSION & SEDIMENT CONTROL FENCE SHALL BE AS DETAILED.

4. CONTRACTOR TO OBTAIN ALL NECESSARY ROAD OCCUPANCY PERMITS FOR PROPOSED

ANY WATER OR SANITARY SERVICE THAT DOES NOT MEET CURRENT REGIONAL STANDARDS MUST BE DISCONNECTED AT THE MAIN, AND A NEW SERVICE CONSTRUCTED AT THE SITE DEVELOPER'S EXPENSE. **EXISTING ZONING** RL1-0 By By-law 2014-014 LOT AREA LOT FRONTAGE 30.50 m

N43°10'40"E

	BUILDING DATA	ALLOWED		PROPOSED			
	MAX. LOT COVERAGE	(25%)	338.5	m²	(24.89%)	336.98	m²
	GROSS FLOOR AREA:						
	GROUND FLOOR					232.7	m²
APPROVAL	SECOND FLOOR					211.5	m²
ESIGN OF WATER AND/OR WASTEWATER SERVICES APPROVAL SUBJECT TO DETAIL CONSTRUCTION ING TO HALTON REGION STANDARDS AND SPECIFICATIONS AND LOCAL APPROVAL FROM AREA LITY.	TOTAL	(29%)	392.7	m²	32.8%	444.16	m²
	HIGHEST RIDGE					9.30	m
SIGNEDSIGNEDSIGNED	EAVES					6.75	m
F THE WATER SYSTEM ON PRIVATE PROPERTY IS THE RESPONSIBILITY OF THE LOCAL GARDLESS, THE APPLICANT MUST ENSURE THAT THE REGION OF HALTON'S STANDARDS AND	MAX. HEIGHT		9.00	m		9.30	m
PECIFICATIONS ARE MET, (THE WATER AND WASTEWATER LINEAR DESIGN MANUAL MAY BE OBTAINED ON ALTON.CA OR BY CALLING 311) ALL WATER QUALITY TESTS MUST BE COMPLETED TO THE REGION OF HALTON'S ATISFACTION BEFORE THE WATER SUPPLY CAN BE TURNED ON.	SETBACKS:						
	MIN. FRONT YARD		10.50	m		11.16	m
	MIN. REAR YARD		10.50	m		13.23	m
	MIN. SIDE YARD						
ER OR SANITARY SERVICE THAT DOES NOT MEET CURRENT REGIONAL STANDARDS MUST BE ECTED AT THE MAIN, AND A NEW SERVICE CONSTRUCTED AT THE SITE DEVELOPER'S EXPENSE.	(EAST)		4.20	m		5.51	m
	(1.4.7—6—)						

EROSION AND SILTATION NOTES

1. ALL EROSION AND SEDIMENT CONTROLS ARE TO BE INSTALLED ACCORDING TO APPROVED PLANS PRIOR TO COMMENCEMENT OF ANY EARTH MOVING WORK ON THE SITE AND SHALL REMAIN IN PLACE UNTIL ALL DISTURBED AREAS ARE STABILIZED WITH THE INTENDED FINAL GROUND COVER.

2. EROSION AND SEDIMENT CONTROLS SHALL BE INSPECTED BY THE BUILDER/DEVELOPER:

B) BEFORE AND AFTER ANY PREDICTED RAINFALL EVENT C) FOLLOWING AN UNPREDICTED RAINFALL EVENT D) DAILY, DURING EXTENDED DURATION RAINFALL EVENTS E) AFTER SIGNIFICANT SNOW MELT EVENTS

3. EROSION AND SEDIMENT CONTROLS SHALL BE MAINTAINED IN PROPER WORKING ORDER AT 4. WHERE A SITE REQUIRES DEWATERING AND WHERE THE EXPELLED WATER CAN BE FREELY RELEASED TO A SUITABLE RECEIVER, THE EXPELLED WATER SHALL BE TREATED TO CAPTURE SUSPENDED PARTICLES GREATER THAN 40micron IN SIZE. THE CAPTURED SEDIMENT SHALL BE

DISPOSED OF PROPERLY PER MOECC GUIDELINES. THE CLEAN EXPELLED WATER SHALL BE


DOWNSTREAM ISSUES INCLUDING BUT NOT LIMITED TO: EROSION, FLOODING - NUISANCE OR

FREELY RELEASED TO A SUITABLE RECEIVER IN A MANNER THAT DOES NOT CREATE

OTHERWISE, INTERFERENCE ISSUES, ETC. 5. EXISTING STORM SEWERS AND DRAINAGE DITCHES ADJACENT TO THE WORKS SHALL BE PROTECTED AT ALL TIMES FROM THE ENTRY OF SEDIMENT/SILT THAT MAY MIGRATE FROM THE SITE. FOR STORM SEWERS: ALL INLETS (REAR LOT CATCHBASINS, ROAD CATCHBASINS, PIPE INLETS, ETC.) MUST BE SECURED/FITTED WITH SILTATION CONTROL MEASURES. FOR DRAINAGE DITCHES, THE INSTALLATION OF ROCK CHECK DAMS, SILTATION FENCING, SEDIMENT CONTAINMENT DEVICES MUST BE INSTALLED TO TRAP AND CONTAIN SEDIMENT.


THESE SILTATION CONTROL DEVICES SHALL BE INSPECTED AND MAINTAINED PER ITEMS 2 AND

6. IN THE EVENT OF A SPILL (RELEASE OF DELETERIOUS MATERIAL) ON OR EMANATING FROM THE SITE, THE OWNER OR OWNER'S AGENT SHALL IMMEDIATELY NOTIFY THE MOECC AND FOLLOW ANY PRESCRIBED CLEAN UP PROCEDURE. THE OWNER OR OWNER'S AGENT WILL ADDITIONALLY IMMEDIATELY NOTIFY THE TOWN.



OPSD 219.110

SILT FENCE BARRIER



LEGAL DESCRIPTION:

REGISTERED PLAN M20-1248 TOWN OF OAKVILLE

REGIONAL MUNICIPALITY OF HALTON SCALE 1 : 150

SURVEY INFORMATION

SURVEY INFORMATION IS TAKEN FROM PLAN PREPARED BY TARASICK McMILLAN KUBICKI LIMITED, ONTARIO LAND SURVEYORS, DATED DECEMBER 16, 2022.

ELEVATION NOTE

ELEVATIONS ARE REFERRED TO GEODETIC DATUM AND WERE DERIVED FROM TOWN OF OAKVILLE BENCHMARK No. 19, HAVING A PUBLISHED ELEVATION OF 85.089 metres.

UNDERGROUND SERVICES

THE LOCATION OF UNDERGROUND SERVICES SHOWN ON THIS PLAN IS ONLY APPROXIMATE AND IS FOR PLANNING AND DESIGN PURPOSES ONLY. THIS INFORMATION MUST NOT BE ASSUMED TO BE COMPLETE OR UP-TO-DATE AND AN ON-SITE LOCATE MUST BE ORDERED PRIOR TO ANY EXCAVATION. TARASICK, McMILLAN LIMITED ACCEPTS NO RESPONSIBILITY FOR ANY CLAIMS OR LOSSES DUE TO IMPROPER USE OF THIS INFORMATION.

LEGEND CATCH BASIN FIRE HYDRANT MANHOLE WATER VALVE ENTRY POINT AT LOWER LEVEL ENTRY POINT AT GROUND FLOOR EXISTING SPOT ELEVATION • 102.00 DENOTES PROPOSED SPOT ELEVATION DENOTES PROPOSED RAINWATER DOWNSPOUT ⊗ AD DENOTES AREA DRAIN 0.30Ø DENOTES CONIFEROUS TREE WITH TRUNK DIAMETER

DENOTES DECIDUOUS TREE WITH TRUNK DIAMETER DENOTES TREE TO BE REMOVED DENOTES REPLACEMENT TREE DENOTES TREE PROTECTION ZONE

DENOTES DIRECTION AND GRADIENT OF DRAINAGE DENOTES DIRECTION OF SWALE

DO NOT SCALE DRAWINGS

1) CONTRACTOR MUST CHECK AND VERIFY ALL DIMENSIONS, SPECIFICATIONS AND DRAWINGS ON SITE AND REPORT ANY DISCREPANCIES TO THE ENGINEER/ARCHITECT PRIOR TO PROCEEDING

2) THESE PLANS ARE TO REMAIN THE PROPERTY OF THE DESIGNER AND MUST BE RETURNED UPON REQUEST. THESE PLANS MUST NOT BE USED IN ANY OTHER LOCATION WITHOUT THE WRITTEN APPROVAL OF THE DESIGNER.

3) ALL WORKS TO BE DONE IN ACCORDANCE WITH THE ONTARIO BUILDING CODE.

ı				
	·	2	MAY 9, 2024	REVISED AS PER ARCH. REQUEST
	·	1	JAN. 17, 2024	REVISED AS PER ARCH. REQUEST
			'	

REVISIONS

CERTIFICATION FOR PROPOSED GRADING

AS PER OBC 9.14.6.1.(1) I CERTIFY THAT THE BUILDING WILL BE LOCATED AND THE SITE GRADING HAS BEEN DESIGNED SO THAT IT WILL NOT ADVERSELY AFFECT ADJACENT PROPERTIES.

MISSISSAUGA, ONTARIO JACKIE HANG, Ontai

APPLICANT/ OWNER PAMIR RAFIQ 1166 SOUTH SERVICE ROAD WEST

SITE GRADING & SERVICING PLAN

PROPOSED 2 STOREY DWELLING

45 PEBBLERIDGE, OAKVILLE


TARASICK McMILLAN KUBICKI LIMITED

LAND 4181 SLADEVIEW CRESCENT, UNIT 42, MISSISSAUGA, ONTARIO L5L 5R2

TEL: (905) 569-8849 FAX: (905) 569-3160

E-MAIL: office@tmksurveyors.com

SCALE: 1:150 DRAWN BY: D.H. FILE No. 9681-SGP-2024-04-17



SITE PLAN





	ıl	
LUCID		
HOMES		
LUCID HOMES INC.		
CUSTOM HOME AND RENOVATION DESIGN		
1435 CORNWALL RD - UNIT D2		
OAKVILLE ON - L6J 7T5		
T: 416.566.6588 E: INFO@LUCIDHOMES.CA		
WWW.LUCIDHOMES.CA		

GENERAL NOTES	REVISION LIST
DRAWINGS ARE TO BE READ NOT SCALED. DESIGN AND CONSTRUCTION OF THIS BUILDING SHALL COMPLY WITH ONTARIO BUILDING CODE, AS AMENDED. DRAWINGS NOT INTENDED FOR PERMIT OR CONSTRUCTION UNLESS SIGNED BY DESIGNER OR ENGINEER. DO NOT BEGIN CONSTRUCTION UNTIL DESIGNER OR PROJECT MANAGER HAS BEEN NOTIFIED. CONTRACTOR TO SITE VERIFY DIMENSIONS AND ANY DISCREPANCIES DISCOVERED SHALL BE REPORTED TO THE DESIGNER IMMEDIATELY. THE DRAWINGS AND DOCUMENTS ARE THE EXCLUSIVE PROPERTY OF LUCID HOMES INC. REPRODUCTION OF THE DOCUMENTS PROVIDED IS PROHIBITED WITHOUT CONSENT OF THE DESIGNER.	MM.DD.YYYY

MM.DD.YYYY MM.DD.YYYY MM.DD.YYYY MM.DD.YYYY MM.DD.YYYY		R		
	DRAWING TITLE	E:	S	ITE PLAN
MM.DD.YYYY	DRAWN BY:	PR	CHECKED BY:	-
MM.DD.YYYY	ADDRESS:	45 P	EBBLERIDGE PL, (DAKVILLE
MM.DD.YYYY	PROJECT NO:	2022-090	SCALE:	1:150
MM.DD.YYYY	SHEET NO.			CD
MM.DD.YYYY			•	37



FRONT ELEVATION

CONSTRUCTION NOTES CONTRACTOR TO SITE VERIFY IF DIMENSIONS FOR SPAN OF TRUSS MATCH WITH ON SITE CONDITIONS PRIOR TO ORDERING OF TRUSSES. DESIGNER MUST BE NOTIFIED IMMEDIATELY SHOULD THERE BE ANY DISCREPANCIES POINT LOADS FROM GIRDER TRUSSES NOT SHOWN ON DRAWINGS. MANUFACTURER TO ACCOUNT FOR POINT LOADS FROM GIRDER TRUSSES IN LVL DESIGNS ALL BEAMS SHALL HAVE A MINIMUM BEARING OF 4" ALL STEEL COLUMNS TALLER THAN 12'-0" SHALL BE STRAPPED TO WOOD STUDS ANY DISCREPANCIES DISCOVERED SHALL BE REPORTED TO THE DESIGNER IMMEDIATELY

QUALIFICATION THE UNDERSIGNED HAS REVIEWED AND TAKES RESPONSIBILITY FOR THIS DESIGN, AS WELL AS HAVING THE QUALIFICATIONS AND REQUIREMENTS MANDATED BY THE ONTARIO BUILDING CODE (O.B.C.) TO BE A DESIGNER. QUALIFICATION INFORMATION



LUCID HOMES **LUCID HOMES INC.**CUSTOM HOME AND RENOVATION DESIGN
1435 CORNWALL RD - UNIT D2

DRAWINGS ARE TO BE READ NOT SCALED. DESIGN AND CONSTRUCTION OF THIS BUILDING SHALL COMPLY WITH ONTARIO BUILDING CODE, AS AMENDED. DRAWINGS NOT INTENDED FOR PERMIT OR CONSTRUCTION UNLESS SIGNED BY DESIGNER OR ENGINEER. DO NOT BEGIN CONSTRUCTION UNTIL DESIGNER OR PROJECT MANAGER HAS BEEN
NOTIFIED. CONTRACTOR TO SITE VERIFY
DIMENSIONS AND ANY DISCREPANCIES DISCOVERED SHALL BE REPORTED TO THE DESIGNER IMMEDIATELY. THE DRAWINGS AND DOCUMENTS ARE THE EXCLUSIVE PROPERTY OF LUCID HOMES INC.

REPRODUCTION OF THE DOCUMENTS PROVIDED IS PROHIBITED WITHOUT CONSENT OF THE DESIGNER.

GENERAL NOTES

REVISION LIST MM.DD.YYYY MM.DD.YYYY MM.DD.YYYY MM.DD.YYYY MM.DD.YYYY MM.DD.YYYY

MM.DD.YYYY

MM.DD.YYYY

MM.DD.YYYY

MM.DD.YYYY

DRAWN BY: CHECKED BY:

45 PEBBLERIDGE PL, OAKVILLE ADDRESS: PROJECT NO: 2022-090 SHEET NO.



REAR ELEVATION

CONSTRUCTION NOTES CONTRACTOR TO SITE VERIFY IF DIMENSIONS FOR SPAN OF TRUSS MATCH WITH ON SITE CONDITIONS PRIOR TO ORDERING OF TRUSSES. DESIGNER MUST BE NOTIFIED IMMEDIATELY SHOULD THERE BE ANY DISCREPANCIES POINT LOADS FROM GIRDER TRUSSES NOT SHOWN ON DRAWINGS. MANUFACTURER TO ACCOUNT FOR POINT LOADS FROM GIRDER TRUSSES IN LVL DESIGNS ALL BEAMS SHALL HAVE A MINIMUM BEARING OF 4" ALL STEEL COLUMNS TALLER THAN 12-0" SHALL BE STRAPPED TO WOOD STUDS ANY DISCREPANCIES DISCOVERED SHALL BE REPORTED TO THE DESIGNER IMMEDIATELY

QUALIFICATION

THE UNDERSIGNED HAS REVIEWED AND TAKES RESPONSIBILITY FOR THIS DESIGN, AS WELL AS HAVING THE QUALIFICATIONS AND REQUIREMENTS MANDATED BY THE ONTARIO BUILDING CODE (O.B.C.) TO BE A DESIGNER.

QUALIFICATION INFORMATION



OAKVILLE ON - L6J 7T5

T: 416.566.6588 E: INFO@LUCIDHOMES.CA WWW.LUCIDHOMES.CA DRAWINGS ARE TO BE READ NOT SCALED. DESIGN
AND CONSTRUCTION OF THIS BUILDING SHALL
COMPLY WITH ONTARIO BUILDING CODE, AS
AMENDED. DRAWINGS NOT INTENDED FOR PERMIT
OR CONSTRUCTION UNLESS SIGNED BY DESIGNER
OR ENGINEER. DO NOT BEGIN CONSTRUCTION UNTIL
DESIGNER OR PROJECT MANAGER HAS BEEN
NOTIFIED. CONTRACTOR TO SITE VERIFY
DIMENSIONS AND ANY DISCREPANCIES DISCOVERED
SHALL BE REPORTED TO THE DESIGNER
IMMEDIATELY. THE DRAWINGS AND DOCUMENTS ARE
THE EXCLUSIVE PROPERTY OF LUCID HOMES INC.
REPRODUCTION OF THE DOCUMENTS PROVIDED IS
PROHIBITED WITHOUT CONSENT OF THE DESIGNER.


GENERAL NOTES


MM.DD.YYYY

MM.DD.YYYY

MM.DD.YYYY

SHEET NO.





LEFT ELEVATION

CONSTRUCTION NOTES CONTRACTOR TO SITE VERIFY IF DIMENSIONS FOR SPAN OF TRUSS MATCH WITH ON SITE CONDITIONS PRIOR TO ORDERING OF TRUSSES. DESIGNER MUST BE NOTIFIED IMMEDIATELY SHOULD THERE BE ANY DISCREPANCIES POINT LOADS FROM GIRDER TRUSSES NOT SHOWN ON DRAWINGS. MANUFACTURER TO ACCOUNT FOR POINT LOADS FROM GIRDER TRUSSES IN LVL DESIGNS ALL BEAMS SHALL HAVE A MINIMUM BEARING OF 4" ALL STEEL COLUMNS TALLER THAN 12-0" SHALL BE STRAPPED TO WOOD STUDS

QUALIFICATION

THE UNDERSIGNED HAS REVIEWED AND TAKES RESPONSIBILITY FOR THIS DESIGN, AS WELL AS HAVING THE QUALIFICATIONS AND REQUIREMENTS MANDATED BY THE ONTARIO BUILDING CODE (O.B.C.) TO BE A DESIGNER.

QUALIFICATION INFORMATION



DRAWINGS ARE TO BE READ NOT SCALED. DESIGN
AND CONSTRUCTION OF THIS BUILDING SHALL
COMPLY WITH ONTARIO BUILDING CODE, AS
AMENDED. DRAWINGS NOT INTENDED FOR PERMIT
OR CONSTRUCTION UNLESS SIGNED BY DESIGNER
OR ENGINEER. DO NOT BEGIN CONSTRUCTION UNTIL
DESIGNER OR PROJECT MANAGER HAS BEEN
NOTIFIED. CONTRACTOR TO SITE VERIFY
DIMENSIONS AND ANY DISCREPANCIES DISCOVERED
SHALL BE REPORTED TO THE DESIGNER
IMMEDIATELY. THE DRAWINGS AND DOCUMENTS ARE
THE EXCLUSIVE PROPERTY OF LUCID HOMES INC.
REPRODUCTION OF THE DOCUMENTS PROVIDED IS
PROHIBITED WITHOUT CONSENT OF THE DESIGNER.

GENERAL NOTES

REVISION LIST

MM.DD.YYYY

MM.DD.YYYY

MM.DD.YYYY

MM.DD.YYYY

MM.DD.YYYY

MM.DD.YYYY

MM.DD.YYYY

MM.DD.YYYY

MM.DD.YYYYY

MM.DD.YYYY

MM.DD.YYYY


MM.DD.YYYY

SHEET NO.

DRAWING TITLE: ARCHITECTURAL ELEVATIONS
DRAWN BY: PR CHECKED BY: ADDRESS: 45 PEBBLERIDGE PL, OAKVILLE
PROJECT NO: 2022-090 SCALE: 1/4": 1'-0"

ALL STEEL COLUMNS TALLER THAN 12-0" SHALL BE STRAPPED TO WOOD STUDS

ANY DISCREPANCIES DISCOVERED SHALL BE REPORTED TO THE DESIGNER IMMEDIATELY



CONSTRUCTION NOTES CONTRACTOR TO SITE VERIFY IF DIMENSIONS FOR SPAN OF TRUSS MATCH WITH ON SITE CONDITIONS PRIOR TO ORDERING OF TRUSSES. DESIGNER MUST BE NOTIFIED IMMEDIATELY SHOULD THERE BE ANY DISCREPANCIES POINT LOADS FROM GIRDER TRUSSES NOT SHOWN ON DRAWINGS. MANUFACTURER TO ACCOUNT FOR POINT LOADS FROM GIRDER TRUSSES IN LVL DESIGNS ALL BEAMS SHALL HAVE A MINIMUM BEARING OF 4" ALL STEEL COLUMNS TALLER THAN 12-0" SHALL BE STRAPPED TO WOOD STUDS ANY DISCREPANCIES DISCOVERED SHALL BE REPORTED TO THE DESIGNER IMMEDIATELY

THE UNDERSIGNED HAS REVIEWED AND TAKES
RESPONSIBILITY FOR THIS DESIGN, AS WELL AS
HAVING THE QUALIFICATIONS AND REQUIREMENTS
MANDATED BY THE ONTARIO BUILDING CODE
(O.B.C.) TO BE A DESIGNER.

QUALIFICATION INFORMATION



AND CONSTRUCTION OF THIS BUILDING SHALL
COMPLY WITH ONTARIO BUILDING CODE, AS
AMENDED. DRAWINGS NOT INTENDED FOR PERMIT
OR CONSTRUCTION UNLESS SIGNED BY DESIGNER
OR ENGINEER. DO NOT BEGIN CONSTRUCTION UNTIL
DESIGNER OR PROJECT MANAGER HAS BEEN
NOTIFIED. CONTRACTOR TO SITE VERIFY
DIMENSIONS AND ANY DISCREPANCIES DISCOVERED
SHALL BE REPORTED TO THE DESIGNER
IMMEDIATELY. THE DRAWINGS AND DOCUMENTS ARE
THE EXCLUSIVE PROPERTY OF LUCID HOMES INC.
BEPPRODICTION OF THE DOCUMENTS PROVIDED IS

REVISION LIST

MM.DD.YYYY

MM.DD.YYYY

MM.DD.YYYY

MM.DD.YYYY

MM.DD.YYYY

MM.DD.YYYY

MM.DD.YYYY

DRAWING TITLE: ARCHITECTURAL ELE
DRAWN BY: PR CHECKED BY:
ADDRESS: 45 PERBI FRIDGE PL C

LUCID HOMES INC.
CUSTOM HOME AND RENOVATION DESIGN
1435 CORNWALL RD - UNIT D2
OAKVILLE ON - L6J 7T5
T: 416.566.6588 E: INFO@LUCIDHOMES.CA
WWW.LUCIDHOMES.CA

OXIVITED

NOTIFIED. CONTRACTOR TO SITE VERIFY
DIMENSIONS AND ANY DISCREPANCIES DISCOVERED
SHALL BE REPORTED TO THE DESIGNER
IMMEDIATELY. THE DRAWINGS AND DOCUMENTS ARE
THE EXCLUSIVE PROPERTY OF LUCID HOMES INC.
REPRODUCTION OF THE DOCUMENTS PROVIDED IS
PROHIBITED WITHOUT CONSENT OF THE DESIGNER.

INDITION OF THE DESIGNER.

1 - MM.I.
2 - MM.I.
4 - MM.I.
5 - MM.I.

- MM.DD.YYYY
- MM.DD.YYYY
- MM.DD.YYYY
- MM.DD.YYYY
- MM.DD.YYYY
- MM.DD.YYYY